


## » Screen Details




## Features

- The EIMS combines elevator information with a dynamic multimedia entertainment system which provides a superb customer elevator experience.

## Functions

- Stock prices/weather.
- Plays DVDs or TV programmes.
- Plays videos or displays picture.
- Scrolling messages.
- Date/Time.
- Logo/Header.
- Floor number and elevator direction.
- Lift status and emergency messages.






## » EIMS Functions Table

● Available – Not Available


| Function        | Description                              | EIMS Series  |                                    |                 |                     |   |
|-----------------|--|--|------------------------------------|-----------------|---------------------|---|
|                 |  | w/ Multi-Media   |                                    | w/o Multi-Media |                     |   |
|                 |  | elevator signal  | w/o elevator signal                | elevator signal | w/o elevator signal |   |
| Settings        | Date/Time                                | Set from control room  | ●                                  | ●               | ●                   | ● |
|                 | World Time                               | Show different city time   | ●                                  | ●               | ●                   | ● |
|                 | Logo/Header                              | Show company logo / company name   | ●                                  | ●               | ●                   | ● |
|                 | Letter Colour Change                     | Change the color of the lettering  | ●                                  | ●               | ●                   | ● |
|                 | Uploaded Pictures                        | Will show a maximum of 50 pictures   | ●                                  | ●               | ●                   | ● |
|                 | Message Board                            | Change according to the floor or the time  | ●                                  | ●               | ●                   | ● |
|                 | Scrolling Messages                       | Show the latest information  | ●                                  | ●               | ●                   | ● |
|                 | Scrolling Speed Adjustment               | Adjust the scrolling speed of the messages   | ●                                  | ●               | ●                   | ● |
|                 | Timer                                    | Turn the system on or off automatically  | ●                                  | ●               | ●                   | ● |
|                 | Power Saving                             | The screen turns off automatically after going into standby                            | ●                                  | ●               | ●                   | ● |
|                 | Memory                                   | 2GB, optional 16GB   | ●                                  | ●               | ●                   | ● |
| Elevator Signal | Elevator Direction                       | Elevator signal is needed  | ●                                  | –               | ●                   | – |
|                 | Arrow Type Change                        |  | ●                                  | –               | ●                   | – |
|                 | Current Floor                            |  | ●                                  | –               | ●                   | – |
|                 | Emergency Messages                       |  | ●                                  | –               | ●                   | – |
|                 | Verbal Announcements                     |  | Elevator information can be spoken | ●               | –                   | ● |
| Multi-Media     | DVD \ VCD Player                         | Broadcast and managed from the Control Room  | ●                                  | ●               | –                   | – |
|                 | TV Programmes                            | Broadcast and control from Control Room  | ●                                  | ●               | –                   | – |
|                 | Video                                    | Format: mpg./avi./wmv.   | ●                                  | ●               | ●                   | ● |
|                 | Online Information (stocks, weather... ) | Show live information from the internet such as shares, weather reports etc. *(Note 1) | ●                                  | ●               | ●                   | ● |

\*(Note 1) Please obtain the relevant permissions to display current share prices etc.

## » EIMS Framework - w/ Multi-media




## » EIMS Framework - w/o Multi-media



LCD Displays

# Elevator Information Multimedia System



## » Screen Layout

### Simple Layout without Live Internet Feeds

- Panel size should be between 8.4 and 10.4 inches.



### Full Layout with Live Internet Feeds

- Panel size should be 12 inches or more.



©This is just an example of our display designs. We can customise any designs according to the customer's requirements.



## » LCD Panel Size

- PNL-084 ( 8.4" Full Colour Display)
- PNL-104 (10.4" Full Colour Display)
- PNL-121 (12.1" Full Colour Display)
- PNL-150 ( 15" Full Colour Display)
- PNL-170 ( 17" Full Colour Display)
- PNL-190 ( 19" Full Colour Display)




SMS-190 Maximum viewing angle range

## » Specification

|                         |                                    |             |               |             |             |             |    |
|-------------------------|------------------------------------|-------------|---------------|-------------|-------------|-------------|----|
| Screen Size             | 8.4"                               | 10.4"       | 12.1"         | 15"         | 17"         | 19"         |    |
| Input Voltage           | AC 100V~240V                       |             |               |             |             |             |    |
| Current Consumption     | AC 110V / 0.18A<br>AC 220V / 0.09A |             |               |             |             |             |    |
| Display Area(H*V)       | 170.4*127.8                        | 211.2*158.4 | 246*184.5     | 304.1*228   | 337.9*270.3 | 376.3*301   |    |
| Pixel Pitch(H*V)        | 0.203*0.203                        | 0.264*0.264 | 0.3075*0.3075 | 0.297*0.297 | 0.264*0.264 | 0.294*0.294 |    |
| Contrast                | 300:1                              |             | 500:1         | 400:1       | 450:1       | 1300:1      |    |
| Resolution              | 640*480                            |             | 1024*768      |             |             | 1280*1024   |    |
| Transmission Signal     | RS-485 & Analog                    |             |               |             |             |             |    |
| Operational Temperature | -20°C~60°C                         |             |               |             |             |             |    |
| Viewing Angle           | Top                                | 60          | 40            | 50          | 65          | 70          | 89 |
|                         | Down                               | 30          | 60            | 60          | 65          | 70          | 89 |
|                         | Left                               | 50          | 60            | 70          | 65          | 70          | 89 |
|                         | Right                              | 50          | 60            | 70          | 65          | 70          | 89 |


## Dimensions

### HOST




Unit:mm


# Elevator Information Multimedia System



**PNL-084**




**PNL-104**




Unit:mm

**PNL-121**




**PNL-150**




Unit:mm

**PNL-170**



**PNL-190**



Unit:mm