

























Message Display

Picture	Model	Standard Voltage	Voltage Range	Transmission	LED Arrangement	Display Area (mm)	Dimension (mm)	Weight (g)
	SDH-2416-P	DC 24V	DC 10V-35V	RS-485	16*48 dot	120*40	194*69*30.3	96
	SDP-2409-P	DC 24V	DC 16V-35V	RS-485	16*90 dot	425.5*75.2	500*110*34.1	495
	SDP-2411-P	DC 24V	DC 10V-35V	RS-485	16*112 dot	280*40	317*80*30.2	182.5
	SDP-2414-P	DC 5V	DC 4.5V-5.5V	RS-485	16*128 dot	970.7*120.9	1039*200*83	8500
	SDP-2418-P	DC 5V	DC 4.5V-5.5V	RS-485	32*256 dot	720*80	730*120*10.5	712
	PDP-2404-P	DC 24V	DC 19V-35V	Parallel (-)Trigger	16*112 dot	280*40	317*80*55	333.8







Dot-Matrix Indicator

Picture	Model	Standard Voltage	Voltage Range	Transmission	LED Arrangement	Display Area (mm)	Dimension (mm)	Weight (g)
	SDC-2406-P	DC 24V	DC 16V-30V	RS-485	16*16 dot	64.2*64.2	138*75*28.6	88.4
	SDH-2408-P1	DC 24V	DC 16V-30V	RS-485	7*21 dot	86*45	126.5*65.8*45.7	144
	SDH-2411-P-A	DC 24V	DC 16V-30V	RS-485	5*7 dot 7*11 dot	116.9*44.6	195*76*27.6	108.5
	SDP-2402-P	DC 24V	DC 16V-35V	RS-485	5*7 dot 7*11 dot	122*70	230*110*44	213
	PDC-2405-P	DC 24V	DC 16V-35V	Parallel (-)Trigger	15*16 dot	75.2*70.9	170*80*35.2	162
	PDC-2410-P	DC 24V	DC 16V-30V	Parallel (-)Trigger	15*14 dot	113.2*121.1	180.5*117*36.2	233.4

Picture	Model	Standard Voltage	Voltage Range	Transmission	LED Arrangement	Display Area (mm)	Dimension (mm)	Weight (g)
	PDC-2412-P	DC 24V	DC 16V-30V	Parallel (-)Trigger	15*14 dot	74.9*75.2	170*80*36	125.3
	PDC-2413-P	DC 24V	DC 16V-30V	Parallel (-)Trigger	15*16 dot	80*40	104.6*45*48.6	94
	PDC-2416-P1	DC 24V	DC 16V-30V	Parallel (-)Trigger	15*14 dot	74.8*75.5	170*80*25.9	134.2
	PDC-2417-P1	DC 24V	DC 16V-30V	Parallel (-)Trigger	15*16 dot	121.5*113.8	180.5*117*27.4	242.8
	PDC-2420-P	DC 24V	DC 16V-30V	Parallel	15*16 dot	75.2*70.9	170*80*33.6	118
	PDH-2404-P	DC 24V	DC 16V-35V	Parallel (-)Trigger	11*21 dot	85.9*45	126.5*66*47.9	112.8
	PDP-2402-P	DC 24V	DC 16V-30V	Parallel (-)Trigger	7*20 dot	153*53	210*80*35.2	200
	PDP-2402-P1	DC 24V	DC 16V-30V	Parallel (-)Trigger	7*20 dot	153*53	210*80*35.2	200

Picture	Model	Standard Voltage	Voltage Range	Transmission	LED Arrangement	Display Area (mm)	Dimension (mm)	Weight (g)
	PDP-2406-P	DC 24V	DC 16V-35V	Parallel (-)Trigger	7*20 dot	153*53	210*80*37.2	160.6
	PDP-2406-P1	DC 24V	DC 16V-35V	Parallel (-)Trigger	7*20 dot	153*53	210*80*37.2	160.6
	PDP-2408-P	DV 24V	DC 18V-30V	Parallel (-)Trigger	5*7 dot	38*53	303.3*90*20.6	163.8
	PDP-2410-P1	DV 24V	DC 16V-35V	Parallel (-)Trigger	7*20 dot	153*53	210*80*31.1	168.8
	PDP-2411-P1	DV 24V	DC 16V-35V	Parallel	7*20 dot	154*54	210*80*31.4	153

Segment Display

Picture	Model	Standard Voltage	Voltage Range	Transmission	LED Arrangement	Display Area (mm)	Dimension (mm)	Weight (g)
	PDC-2412-P	DC 24V	DC 16V-30V	Parallel (-)Trigger	15*14 dot	74.8*75.5	170*80*36	125.3
	PSP-2402-P	DC 24V	DC 15V-25V	Parallel(-)Trigger	2 x 16 segment 3 x lightbar	131.6*73	150*110*24	237
	PSC-2404-P	DC 24V	DC 16V-30V	Parallel(-)Trigger	1 x 16 segment 3 x lightbar	115.9*59	136*87*19.6	77
	PSC-2405-P	DC 24V	DC 16V-30V	Parallel(-)Trigger	1 x 7 segment 3 x lightbar	72*56	136*80*19.5	81
	PSH-2403-P	DC 24V	DC 20V-26V	Parallel(-)Trigger	1 x 7 segment 3 x lightbar	115.8*55.8	163*60*19.6	85
	PSH-2403-P1	DC 24V	DC 20V-26V	Parallel(-)Trigger	1 x 7 segment 3 x lightbar	115.9*55.8	163*60*19.6	71.5