




















Classic Position Indicator

Picture	Model	Standard Voltage	Transmission Signal	LED Colour	Surface	Dimension (L*W)mm	Box (L*W*H)mm
	SCH-2401-1	DC 24V	Serial/Parallel	White, Red	Electroplate finish	375*700	315*620*80
	SCH-2401-2	DC 24V	Serial/Parallel	-	Electroplate finish	273*530	246*466*101.2
	SCH-2403-3	DC 24V	Serial	White, Red	Electroplate finish	375*700	215*620*80
	SCH-2403-1	DC 24V	Serial	Warm white	Stone material	600*600	-
	SCH-2403-4	DC 24V	Serial	White, Red	Electroplate finish	590*590	-
	SCH-2401-7	DC 24V	Serial/Parallel	-	Electroplate finish	376*376	-
	SCH-2401-3	DC 24V	Serial/Parallel	-	Wood material	770*770	-
	SCH-2401-4	DC 24V	Serial/Parallel	Red, Green	Electroplate finish	535*535	-
	SCH-2401-5	DC 24V	Serial/Parallel	White	Electroplate finish	600*600	-

Led Position Indicator

Picture	Model	Standard Voltage	Transmission Signal	LED Colour	Surface	Dimensions (L*W)mm	Box (L*W*H)mm
	SCH-2402-2	DC 24V	Serial/Parallel	Blue, Green	Electroplate finish	270*500	230*440*80
	SCH-1100-1	AC 110V	Direct drive	Warm white	Electroplate finish	560*560	-
	SCH-2403-5	DC 24V	Direct drive	White	Electroplate finish	600*600	-
	SCH-1201B-1	DC 24V	Direct drive	Pink, White	Acrylic	560*560	-
	SCH-2403-6	DC 24V	Direct drive	Warm white	Acrylic	540*540	-
	SCH-2401-6	DC 24V	Serial/Parallel	Red	Acrylic	510*510	-
	SCH-2403-7	DC 24V	Direct drive	Pink, Warm white	Acrylic	540*540	-
	SCH-2403-8	DC 24V	Direct drive	Red, Warm white	Acrylic	505*465	-

Led Multi Position Indicator

Picture	Model	Standard Voltage	Transmission Signal	LED Colour	Surface	Dimensions (L*W)mm	Box (L*W*H)mm
	SCH-2402-3	DC 24V	Direct drive	White, Red, Green	Acrylic Lens	170*830	-
	SCH-2402-4	DC 24V	Serial/Parallel	White, Red, Green	Electroplate finish	120*700	65*650*80
	SCH-2406-1	DC 24V	Parallel	Warm white	Acrylic Lens	160*120	-
	SCH-2403-9	DC 24V	Direct drive	Warm white	Electroplate finish	720*190	-